


## Glass &amp; Mirror Defogger

## Glass &amp; Mirror Defogger (1)

SD879-1





| Connector | Component | Harness |
|-----------|-----------|---------|
|-----------|-----------|---------|

## D16 Passenger Power Outside Mirror

- 12 Male / Black (MLX\_040\_12M\_B\_CLIP)




### LHD

- |         |                                  |
|---------|----------------------------------|
| 1. B    | Ground (GF03)                    |
| 2. R/O  | Folding Motor (Unfold)           |
| 3. Gr/B | Folding Motor (Fold)             |
| 4. L/B  | Outside Mirror Switch (Up/Down)  |
| 5. W/B  | Pass. Outside Mirror Switch (HR) |
| 6. Y    | Pass. Outside Mirror Switch (VR) |
| 7. —    | —                                |
| 8. —    | —                                |
| 9. —    | —                                |
| 10. B   | Ground (GF03)                    |
| 11. O/B | I/P Junction Box - IPS 9 (TWIN)  |
| 12. P   | I/P Junction Box - F13 10A       |

### RHD

- |         |                                  |
|---------|----------------------------------|
| 1. B    | Ground (GF02)                    |
| 2. R/O  | Folding Motor (Unfold)           |
| 3. Gr/B | Folding Motor (Fold)             |
| 4. L/B  | Outside Mirror Switch (Up/Down)  |
| 5. W/B  | Pass. Outside Mirror Switch (HL) |
| 6. Y    | Pass. Outside Mirror Switch (VL) |
| 7. —    | —                                |
| 8. —    | —                                |
| 9. —    | —                                |
| 10. B   | Ground (GF02)                    |
| 11. O/B | I/P Junction Box - IPS 9 (TWIN)  |
| 12. P   | I/P Junction Box - F13 10A       |

## 80. Passenger Door




شرکت دیجیتال خودرو سامانه (مسئولیت محدود)

اولین سامانه دیجیتال تعمیرکاران خودرو در ایران



| Connector                                                                                                                                                          | Component                     | Component2 | Harness       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------|---------------|
| <p>E22      Front Wiper Deicer</p> <p>- 2 Female / Black (KUM_NMWP_02F_B)</p>  |                               |            |               |
| 1. W                                                                                                                                                               | E/R Fuse & Relay Box - RLY. 7 | 2. B       | Ground (GE03) |

## 9. Left Side of Cowl Top Panel



شرکت دیجیتال خودرو سامانه (مسئولیت محدود)

اولین سامانه دیجیتال تعمیرکاران خودرو در ایران





| Connector | Component | Harness | Harness2 |
|-----------|-----------|---------|----------|
|-----------|-----------|---------|----------|

### M21 A/C Control Module (Auto)

- 40 Female / White (KET\_025\_40F\_W)

|    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 20 | 19 | 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9  | 8  | 7  | 6  | 5  | 4  | 3  | 2  | 1  |
| 40 | 39 | 38 | 37 | 36 | 35 | 34 | 33 | 32 | 31 | 30 | 29 | 28 | 27 | 26 | 25 | 24 | 23 | 22 | 21 |

|       |                            |         |                                  |
|-------|----------------------------|---------|----------------------------------|
| 1. R  | I/P Junction Box - F17 10A | 20. Gr  | ILL. (-)                         |
| 2. L  | ILL. (+)                   | 21. O   | I/P Junction Box - F21 7.5A      |
| 3. O  | Sensor (5V)                | 22. O   | M-CAN High                       |
| 4. W  | Mode Actuator (VENT)       | 23. W/O | Front Monitor                    |
| 5. O  | Mode Actuator (DEF)        | Br      | Clock (5V)                       |
| 6. W  | Mode Actuator (F/B)        | L       | With Front Monitor               |
| 7. G  | [LHD]                      | L       | M-CAN Low                        |
| B     | [RHD]                      | 24. W   | C-CAN High                       |
| 8. B  | [LHD]                      | 25. Br  | C-CAN Low                        |
|       | Intake Actuator (FRE)      | 26. W   | Ambient Temp. Sensor (+)         |
|       | Intake Actuator (REC)      | 27. L   | Body K-Line                      |
|       | [RHD]                      | 28. Y   | Evaporator Sensor (+)            |
|       | Intake Actuator (REC)      | 29. P/B | ECV Power                        |
| 9. L  | Intake Actuator (F/B)      | 30. G/O | ECV Ground                       |
| 10. - | -                          | 31. Y   | Photo Sensor (-)                 |
| 11. - | -                          | 32. -   | -                                |
| 12. - | -                          | 33. P   | E/R Fuse & Relay Box - F21 10A   |
| 13. W | Temp. Actuator (Cool)      | 34. Br  | BCM (Rear Defogger Switch Input) |
| 14. Y | Temp. Actuator (Warm)      | 35. Y   | E/R Fuse & Relay Box - F9 10A    |
| 15. B | Temp. Actuator (F/B)       | 36. L   | FET (GATE)                       |
| 16. - | -                          | 37. P   | FET (DRAIN)                      |
| 17. - | -                          | 38. Gr  | Sensor Ground                    |
| 18. - | -                          | 39. B   | Ground (GM03)                    |
| 19. Y | Detent Out (+)             | 40. B   | Ground (GM04)                    |

## Glass & Mirror Defogger (2)

SD879-2

